



gamma duo

new decors
2014

melamine
2013/2015



FINSA
solutions in wood

index

02/03





FINSA
solutions in wood

Gama Duo


2013/2015

INDEX	03
ENVIRONMENT & QUALITY	04
BASE BOARDS	06
Pack-lot possibilities	06
FIMAPLAST - Chipboard	06
FIBRAPLAST - MDF board	06
SUPERPAN - Special board	07
Boards per packs	07
NCS/PANTONE/RAL MATCHES	08
RANGE OF TEXTURES	10
TECHNICAL DATA	11
Technical features	11
Certifications	11
COMPLEMENTARY PRODUCTS	11
Laminate & Edge banding	11
RANGE OF DECORS	12
Unicolours	12
Abstracts	16
Woodgrains	20
New decors 2014	32



Samples Matrix

RANGE OF DÉCORS ON PAGE 12



Note: Copies of the decors shown herein might not be accurate due to technical printing limitations. So please double-check against real samples.



Available in 1.220 mm width



Special design price list



“Sustainable **design**
makes sense”



Transparency: ecological product footprint



In 2011, FINSA became the first manufacturer of technical wood on the Iberian Peninsula that provides the **Environmental Product Declaration (EPD)** for its products.

The EPD is a tool for passing on clear and transparent information on the environmental impact of a certain product during all the stages in its life cycle.

In the case of our products it confirms that the wood is a material that maintains its captured level of greenhouse gases throughout our production process.



LEED credits: Sustainable building

Thanks to our products, it is possible to obtain **LEED credits** in the following aspects:

- Content of **recycled material**
- Regional **material**
- Quickly **renewable material**
- Certified **wood**
- **Low emission** material

Certifications

Quality

The quality of the panels manufactured by our company is certified by the AITIM stamp (Association for Research in the Wood Industries).

More information: www.infomadera.net

All our products show the EC brand.

More information: www.aenor.es



Certifications:

wood from sustainable forests



The Chain of Custody certifies the journey of the raw materials from the forest to the consumer/customer, including all stages of the process, i.e. it guarantees the customer that the products he is buying are manufactured with materials that are sourced from sustainably managed forests.

This guarantee is provided through the PEFC and FSC certifications, which affect the manufacture and marketing of products derived from wood.

base boards RANGE

06 / 07

Technical information

Technical data available on
our web site: www.finsa.com



Pack-lot Possibilities

Fimaplast Chipboard



QUALITY	FORMAT (mm)	THICKNESS (mm)										
		8	10	15	16	18	19	22	25	30	35	40
STANDARD	2440x1220		x	x	x	x	x			x		
	2440x2100	x	x	x	x	x	x		x	x	x	x
	2850x2100	x	x		x	x	x	x	x	x		x
MOISTURE RESISTANT	2440x1220		x		x		x					
	2440x2100				x	x	x					
	2850x2100				x		x					
FIRE RESISTANT	2850x2100		x		x		x					

Fibrplast MDF board



QUALITY	FORMAT (mm)	THICKNESS (mm)							
		3	4	5	6	16	18	19	22
STANDARD	2440x1220	x	x	x	x	x	x	x	
	2440x2100	x	x	x	x	x	x	x	
	2850x2100					x	x	x	x

Gama Duo offer

PREFERRED OFFER

The preferred combination of decor and texture for our pack service.

FLEXIBLE OFFER

The GAMA DUO adapts to any project. It is, therefore, also possible to have any other decor / texture combination from the GAMA DUO (including 'smooth'), also for pack-lots.

Ask your Sales Office for conditions.

Exclusive

Superpan Decor Special Board



QUALITY	FORMAT (mm)	THICKNESS (mm)								
		10	12	15	16	18	19	22	25	30
STANDARD	2440x1220	x		x	x	x	x			x
	2440x2100	x			x	x	x			
	2600x2100	x	x		x		x			x
	2850x2100				x	x	x	x	x	
MOISTURE RESISTANT	2440x1220				x		x			

Superpan

A special base board made of two external MDF surfaces and an internal core of wood chips.

A new generation of technical wood manufactured by Finsa by means of a continuous press process. An innovative and exclusive product protected by patent PCT/EP99/09984 (European Patent Office)

Pack size Boards per pack

Fimaplast / Fibraplast / Superpan Decor

FORMAT (mm)	THICKNESS (mm)															
	3	4	5	6	8	10	12	15	16	18	19	22	25	30	35	40
2440x1220	100	100	100	100	-	60	-	50	46	40	42	-	-	26	-	-
2440x2100	100	100	100	90	30	30	-	36	36	32	28	-	24	20	16	12
2600x2100	-	-	-	-	-	30	30	-	36	-	28	-	-	20	-	-
2850x2100	-	-	-	-	30	30	-	-	36	32	28	24	24	20	-	12

NCS /Pantone/ RAL matches

These equivalences are approximate.
The number in brackets corresponds to the classification:

1=very similar, 2=similar, 3=approximate

DECOR	Cod.	NCS	PANTONE	RAL
ALUMINIO	890	***	877C (3)	9006 (3)
ALUMINIO AROSA	72E	***	877C (3)	9006 (3)
AMARILLO ALPES	127	1070-Y20R (1)	130C (2)	1033 (1)
AMARILLO CURRY	16R	1070 (2)	7405C (2)	1021 (2)
AMARILLO SOL	22G	0580-Y10R (1)	116C (1)	1021 (2)
ARÁNDANO	42G	***	5185C (1)	4007 (1)
ARENA	131	2005-Y40R (2)	7529C (2)	***
AZUL CARIBE	99P	2055-B10G (3)	632C (1)	5018 (3)
AZUL CITY	05Q	4040B-B (1)	7470C (2)	5009 (3)
AZUL EO	139	4040-R90B (3)	653C (2)	5023 (2)
AZUL HANDY	55C	3060-R80B (3)	661C (1)	5002 (2)
AZUL KLEIN	93F	4050-R80B (2)	294C (2)	5010 (1)
AZUL NUBE	61S	1010-B10G (1)	290C (1)	***
AZUL PASTEL	19R	1030-R90B (1)	283C (1)	***
AZUL STAR	33G	2060-B (2)	2925C (1)	5015 (1)
BLANCO ÁRTICO	040	0804-R70B (2)	***	9003 (2)
BLANCO CHIC	10R	0500-N (3)	7541 PC (2)	9003 (2)
BLANCO POLAR	060	0502-G (1)	***	9010 (1)
BURDEOS	164	4050-Y90R (1)	1815C (1)	3009 (1)
CALABAZA	022	0570-Y40R (2)	716C (2)	2011 (2)
CAMEL	103	***	7510C (1)	***
CAPUCHINO	13C	***	4735 C (3)	1019 (3)
CAQUI	26G	5010-G90Y (1)	***	7002 (3)
CHOCOLATE	12C	6010-Y70R (2)	7518C (2)	8025 (2)
CREMA 005	183	0804-Y50R (1)	***	***
CREMA I	281	0510-Y20R (2)	7401C (1)	***
CREMA SIL	184	1002-Y (2)	COOL GRAY 1C (2)	9001 (1)
DUNA	20R	3005-G80Y (1)	7535C (2)	7032 (1)
GRIS AZULADO	192	2500-N (1)	COOL GRAY 4C (1)	7038 (2)
GRIS COCO	15R	1000-N (2)	COOL GRAY 3C (2)	***
GRIS GONDOMAR	284	1005-Y10R (2)	WARM GRAY 2C (2)	9001 (2)



DECOR	Cod.	NCS	PANTONE	RAL
GRIS GU	71A	7500-N (1)	425C (1)	7043 (1)
GRIS METALIZADO	303	***	877C (3)	9007 (3)
GRIS PORRIÑO	194	1502-Y (2)	7534C (1)	1013 (1)
GRIS RIOJA	197	3502-B (2)	429C (1)	7040 (1)
GRIS SARELA	195	1002-Y (1)	WARM GRAY 1 (2)	9001 (1)
GRIS TORMENTA	09F	6000-N (1)	424C (1)	7037 (1)
GRIS TÓRTORA	01Q	5000-Y20R (2)	409C (1)	1019 (2)
GRIS 004	206	3500-N (1)	COOL GRAY 5C (1)	7004(3)
IVORY BAMA	65B	0505-Y20R (2)	7499 (3)	1013 (2)
LILA	021	0530-R50B (1)	522C (1)	**
MAGENTA	07F	***	205C (2)	4003 (3)
MANDARINA	28G	1080-Y50R (3)	151C (1)	2003 (1)
MORADO	07G	4050-R50B (1)	520C (2)	***
NARANJA CAYENA	17R	2070-Y70R (1)	173C (1)	2010 (2)
NATURAL GREY	U12	2500-N (2)	COOL GRAY 4C (1)	***
NEGRO	231	***	426C (1)	9005 (1)
PETRÓLEO	188	8000-N (1)	447C (1)	7021 (2)
ROJO	172	1080-Y90R (1)	1795C (1)	3020 (1)
ROJO CARMÍN	27G	2070-R (1)	7427C (1)	3001 (1)
ROSA CHICLE	18R	1040-R30B (3)	7431C (1)	3015 (2)
ROSA NUBE	60S	1010-Y90R (1)	705C (1)	3015 (3)
SAHARA	11C	1005-Y50R (2)	7528C (2)	1015 (3)
TABASCO	34G	2070-Y80R (1)	180C (1)	3016 (1)
TOFFEE	14C	8010-Y50R (1)	7533C (1)	8014 (2)
VERDE ECOLÓGICO	023	2060-G50Y (1)	376C (1)	***
VERDE FINSA	241	2030-G70Y (1)	5787(2)	***
VERDE NATURAL	54C	1060-G70Y (1)	389C (1)	***
VERDE NUBE	62S	0510-B90G (1)	566C (1)	6019 (3)
VERDE VALLE	248	4050-G10Y (1)	349C (2)	6001 (1)
VISON CHIC	11R	4005-Y20R (2)	402C (2)	9007 (3)
WHITE SR209	78E	0500-N (1)	***	9010 (1)

textures

RANGE

10/11

New




ESSENCE

New




SEGA



PORO ARENADO



PORO PROFUNDO



TEXTIL



SOFT III



SUPER MATE

technical data

Technical features

FIMAPLAST / FIBRAPLAST / SUPERPAN DECOR

TEST	PROPERTIES	THICKNESSE (mm)			UNITS
		<15	15-20	>20	
TOLERANCE ON NOMINAL DIMENSIONS					
EN 14323	Thickness on nominal dimensions	± 0,3 (AI,AV) +0,5/-0,3 (AH)		± 0.50	mm
EN 14323	Thickness within the board	max-min<0,6			mm
EN 14323	Lenght & width	± 5			mm
EN 14323	Flatness (solamente en revestimientos equilibrados)	-	<=2	<=2	mm/m
COATING PROPERTIES					
EN 14323	Resistance to scratching	>= 1.5			N
EN 14323	Resistance to cracking	>=3			rating
EN 14323	Surface aspect	4			rating
EN 14323	Resistance to staining (groups 1 y 2)	5			rating
EN 14323	Resistance to staining (group 3)	4			rating
VISUAL DEFECTS					
EN 14323	Edges damaged	<=10			mm/m
EN 14323	Surface defects. Points	<=2			mm²/m²
EN 14323	Surface defects. Lenght	<=20			mm/m²
EN 14323	Resistance to abrasion:. Designs (general applications)	class 1 IP number of turns<50 WR number of turns<150			
EN 14323	Resistance to abrasion. Unicolors and horizontal applications (ah).	class 3A IP number of turns>150 WR number of turns>350			

FIMAPLAST/FIBRAPLAST/ SUPERPAN DECOR comply with Class E1 requirements, low formaldehyde content, according to UNE-EN 14322 Standard. The physical-mechanical properties of these products will be those of the baseboard used. More information: www.finsa.com

Certifications

LOW FORMALDEHYDE EMISSION

Clase E1 - EN 14322
Fibraplast

Clase E1 - EN 14322
Fimaplast / Superpan Decor

MOISTURE RESISTANT

MDF.H EN 622-5
Fibraplast

P3 EN 312
Fimaplast / Superpan Decor

FIRE RETARDANT

B-S2, d0 - UNE-EN 13501
Fibraplast

B-S1, d0 - UNE-EN 13501
Fimaplast

Complementary products


Laminate & Edge banding

As a result of our collaboration with melamine accessory companies, there are laminate and edgings in the market for all our GAMA DUO decors.


Visit our web page for the different possibilities.




78E- WHITE SR209
Soft III



060- BLANCO POLAR
Soft III



040- BLANCO ÁRTICO
Soft III



195- GRIS SARELA
Soft III



U12- NATURAL GREY
Soft III



192- GRIS AZULADO
Soft III



206- GRIS 004
Soft III



197- GRIS RIOJA
Soft III



09F- GRIS TORMENTA
Soft III




71A- GRIS GU
Soft III



188- PETRÓLEO
Soft III



231- NEGRO
Soft III



030- BLANCO SUPER
Essence




01Q- GRIS TÓRTORA
Essence




71A- GRIS GU
Essence






184- CREMA SIL
Soft III



65B- IVORY BAMA
Soft III



281- CREMA I
Soft III



284- GRIS GONDOMAR
Soft III




194- GRIS PORRIÑO
Soft III




20R- DUNA
Soft III



11C- SAHARA
Soft III




183- CREMA 005
Soft III



15R- GRIS COCO
Soft III



131- ARENA
Soft III



13C- CAPUCHINO
Soft III




01Q- GRIS TÓRTORA
Soft III



103- CAMEL
Soft III



12C- CHOCOLATE
Soft III



14C- TOFFEE
Soft III





16R- AMARILLO CURRY
Soft III



17R- NARANJA CAYENA
Soft III




18R- ROSA CHICLE
Soft III



22G- AMARILLO SOL
Soft III



172- ROJO
Soft III



07F- MAGENTA
Soft III



127- AMARILLO ALPES
Soft III



34G- TABASCO
Soft III



021- LILA
Soft III



022- CALABAZA
Soft III



27G- ROJO CARMÍN
Soft III



07G- MORADO
Soft III



28G- MANDARINA
Soft III



164- BURDEOS
Soft III




42G- ARÁNDANO
Soft III



19R- AZUL PASTEL
Soft III



33G- AZUL STAR
Soft III



54C- VERDE NATURAL
Soft III



99P- AZUL CARIBE
Soft III



55C- AZUL HANDY
Soft III



023- VERDE ECOLÓGICO
Soft III



05Q- AZUL CITY
Soft III



93F- AZUL KLEIN
Soft III



241- VERDE FINSA
Soft III



139 AZUL EO
Soft III



26G- CAQUI
Soft III



248- VERDE VALLE
Soft III

abstracts

MELAMINE


16/17



70F- TESSUTO
Textil



98Q- ESPIGA SAL
Textil



97Q- ESPIGA PIMIENTA
Textil



12G- LINO CANCÚN
Textil



13G- LINO HABANA
Textil



11F- FLOR TEXTIL
Textil





99Q- CEMENTO APOLO
Super Mate



98G- TEXTIL CUERO
Textil



06F- CEMENTO
Soft III



06Q- URBAN LOFT
Super Mate



05F- GARDEN
Textil



71F- WHITE GARDEN
Textil




43G- EOLO
Soft III




abstracts

MELAMINE


18/19



10R- BLANCO CHIC
Soft III



70A- PERLA
Soft III




11R- VISÓN CHIC
Soft III



890- ALUMINIO
Soft III



303- GRIS METALIZADO
Soft III



72E- ALUMINIO AROSA
Soft III





02R- GALILEO BLANCO
Soft III e



01R- GALILEO PLOMO
Soft III e




47D- CB NEGRO
Poro Arenado



52F- F-EXPRESSO
Poro Arenado e



87E- F-VIGUERA
Poro Arenado e



46D- CB BLANCO
Poro Arenado

woodgrains

MELAMINE

20/21



717- HAYA C
Essence



721- HAYA TER
Essence



734- HAYA FANGIO
Soft III



722- HAYA EGA
Essence



45A- HAYA BAMA
Soft III



375- HAYA DAIMIEL
Essence



366- HAYA RIMESI
Super mate



498- HAYA 303
Soft III





222- MAPLE BLANCO
Super Mate



073- MAPLE NOVAIS
Super Mate



05R- MAPLE BERGEN
Essence



889- ERABLE MUSSET
Super Mate



09A- ARCE GALANTE
Super Mate



209- MAPLE COLONIA
Essence



47B- EDINBURGH MAPLE
Super Mate





76A- NOGAL BAMA
Super Mate



37G- NOGAL GROVE
Poro Profundo



36G- NOGAL BACO
Essence



33F- NOGAL SIROKO
Essence



03C- NOGAL CANALETTO
Poro Profundo



94A- WALNUT SUPREME
Essence



10C- CAMBRIDGE WALNUT
Poro Profundo



383- NOGAL BURELA
Essence



17B- ZEBRANO
Essence



02C- EBANO LUXURY
Essence



57F- SATIN OLIVE
Super Mate



633- SAPALLY 2
Essence



37E- RICHMOND PLUM
Poro Profundo



780- SAPALLY RAMEADO
Essence





399- CEREZO LUNA
Essence



319- CEREZO BURANO
Super Mate



253- CEREZO LATINO
Poro Profundo



408- CEREZO TIRÓN
Essence



741- CEREZO 2
Soft III



45D- CEREZO PICASSO
Poro Profundo



435- CEREZO CANELA
Essence





04R- OLMO VOLGA
Essence



08R- OLMO TORONTO
Poro Arenado



07R- OLMO ONTARIO
Poro Arenado



25G- CEREZO HANAMI
Poro Arenado



98P- OLMO BOVARY
Essence



20B- CEREZO XACOBEO
Super Mate



99B- CEREZO ARAÚJO
Essence





31D- CHAMBERY LARCH
Poro Arenado



17G- PINO CERVINO
Poro Arenado



73D- ARAVA STRIPES
Poro Arenado



15G- PINO ZERMATT
Poro Arenado



96P- PINO MALMO
Poro Arenado



16G- PINO CHAMONIX
Poro Arenado




24G- PINO GINEBRA
Poro Arenado



16N- FRESNO GLACIAL
Essence



18N- FRESNO TAIGA
Sega



19N- FRESNO ESTEPA
Sega



38G- FRESNO JUNO
Essence



66F- DELICATE BIRCH
Super Mate




39G- FRESNO TEA
Sega





41G- ROBLE HERA
Segá



42B- ROBLE TRIGO
Poro Profundo



910- ROBLE NATURAL
Poro Profundo



49D- LISSA OAK
Poro Profundo



604- ROBLE ENTABLILLADO
Essence



898- ROBLE ANCARES
Essence





358- ROBLE AMBERES
Essence *



008- ROBLE BELLO
Super Mate * e



091- ROBLE FOSCARI
Poro Arenado e



03R- CAMBRIAN OAK
Segá e



50D- MAJESTIC ACACIA
Essence e



24D- ACACIA SUAVE
Poro Profundo e



25D- ACACIA CHOCO
Poro Profundo e

woodgrains
MELAMINE

30/31



06R- ROBLE JEREZ
Poro Arenado



95Q- ROBLE TRUFA
Poro Profundo



96Q- ROBLE CAVIAR
Poro Arenado




52A- WENGE L01
Poro Profundo



20N- ROBLE SINATRA
Essence



69A- WENGUE LUNA
Poro Arenado



17N- ROBLE JOPLIN
Poro Profundo



39D- TEKA ASTURIAS
Poro Arenado



09R- ROBLE MÓDENA
Poro Arenado



036- ROBLE TRICIO
Poro Profundo



91B- ROBLE RENOVALES
Poro Profundo



23B- ROBLE GRIS
Poro Profundo



New decors

MELAMINE

32 / 33



56S- PINO ÁRIDO
Poro arenado



57S- BRITANNIA OAK
Sega




51S- CALEDONIAN OAK
Sega





58S- OLMO ELBA
Essence



53S- MOKA CHIC
Soft III




New decors

MELAMINE


34/35




GREEN BEING



61S- AZUL NUBE
Soft III



62S- VERDE NUBE
Soft III




60S- ROSA NUBE
Soft III



new decors
2014



59S- CASTAÑO RIALTO
Poro Profundo



52S- PAPER COLLAGE
Soft III





gamma
duo

unicolours abstracts woodgrains



www.finsa.com